
MATERIAL SAFETY DATA SHEET

Monolithic
177 Dome Park Place
Italy, TX 76651

EMERGENCY PHONE #s:
972-483-7423

SECTION 1 – PRODUCT INFORMATION

MONOFORM

Common Chemical Name: ACRYLATE COPOLYMER DISPERSION
Synonyms: NONE
Molecular Formula: MIXTURE
Chemical Family: POLYMER DISPERSION
Molecular Weight: NOT APPLICABLE

SECTION 2 – INGREDIENTS

Chemical Name:	CAS	Amount
POLYMER PEL/TLV NOT ESTABLISHED	28063-87-8	64.0 – 66.0%
WATER PEL/TLV NOT ESTABLISHED	7732-18-5	34.0 – 36.0%
ACRYLONITRILE ACGIH TLV	107-13-1	< 10.0 PPM
OSHA PEL	SKIN TWA 2 PPM CEIL 10 PPM TWA 2 PPM	
BUTYL ACRYLATE ACGIH TLV	141-32-2	< 200.0 PPM
VINYL ACETATE ACGIH TLV	108-05-4	< 0.4 %
FORMALDEHYDE ACGIH TLV	50-00-0	< 100.0 PPM
OSHA PEL	CEIL 0.3 PPM STEL 2 PPM TWA 0.75 PPM	

SECTION 3 – HAZARDS IDENTIFICATION

Emergency Overview

Color: Milky White
Form/Appearance: Aqueous Dispersion
Odor: Ester

WARNING STATEMENT:**CAUTION:**

INHALATION OF VINYL ACETATE AT HIGH LEVELS MAY BE IRRITATING TO THE EYES, MUCOUS MEMBRANES AND RESPIRATORY TRACT AND PRODUCE CNS EFFECTS. REPEATED INHALATION EXPOSURES HAVE PRODUCED NASAL AND PULMONARY IRRITATION AND LESIONS AT LEVELS UP TO 600 PPM IN EXPERIMENTAL ANIMALS. IARC CLASSIFIED VINYL ACETATE UNDER GROUP 2B AS POSSIBLY CARCINOGENIC TO HUMANS BASED ON ITS RAPID HYDROLYSIS TO ACETALDEHYDE, AND BASED ON THE EVIDENCE THAT BOTH VINYL ACETATE AND ACETALDEHYDE INDUCE NASAL CANCERS AFTER INHALATION EXPOSURES AND ARE GENOTOXIC. CONTACT WITH THE EYES AND SKIN MAY RESULT IN IRRITATION. INHALATION MAY RESULT IN RESPIRATORY IRRITATION. INGESTION MAY RESULT IN GASTRIC DISTURBANCES.

POTENTIAL HEALTH EFFECTS

Primary Routes of Exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Overexposure Effects:

Contact with the eyes and skin may result in irritation. Inhalation of vinyl acetate at high concentrations may be irritating to the eyes, mucous membranes and respiratory tract and may result in CNS effects.

Chronic Overexposure Effects:

Repeated inhalation exposures of vinyl acetate have produced nasal and pulmonary irritation and lesions at concentrations up to 600 ppm in experimental animals. IARC classified vinyl acetate under Group 2B as possibly carcinogenic to humans based on its rapid hydrolysis to acetaldehyde, and based on the evidence that both acetate and acetaldehyde induced nasal cancers after inhalation exposures and are genotoxic.

First Aid Procedures – Aggravated Medical Conditions

No data is available which addresses medical conditions that are generally recognized as being aggravated by exposure to this product. Please refer to the effects of overexposure section for effects observed in animals.

SECTION 4 – FIRST AID MEASURES

First Aid Procedures – Skin:

Wash affected areas with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops, get medical attention.

First Aid Procedures – Eyes:

Immediately rinse eyes with running water for 15 minutes. If irritation develops, get medical attention.

First Aid Procedures – Ingestion:

If swallowed, dilute with water. DO NOT INDUCE VOMITING. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get immediate medical attention.

First Aid Procedures – Inhalation:

Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

First Aid Procedures – Notes to Physicians:

None known.

First Aid Procedures – Aggravated Medical Conditions:

No data is available which addresses medical conditions that are generally recognized as being aggravated by exposure to this product. Please refer to the effects of overexposure section for effects observed in animals.

First Aid Procedures – Special Precautions:

None.

SECTION 5 – FIRE FIGHTING MEASURES

	Typical Low/High	Deg.	Method
Flash Point:	> 300	F	NOT SPECIFIED
Auto ignition:	NOT AVAILABLE		

Extinguishing Media:

Use water fog, foam or dry chemical extinguishing media.

Fire Fighting Procedures:

Firefighters should be equipped with self-contained breathing apparatus and turn out gear. Water may be ineffective but should be used to keep exposed containers cool.

Unusual Hazards:

There are no known unusual fire or explosion hazards.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

General:

Spills should be contained, solidified and placed in suitable containers for disposal in a licensed facility. This material is regulated by CERCLA (“Superfund”).

SECTION 7 – STORAGE AND HANDLING

General:

Protect from freezing.

SECTION 8 – PERSONAL PROTECTION

Clothing:

Gloves, coveralls, apron, and boots as necessary to prevent contact.

Eyes:

Chemical goggles; also wear a face shield if splashing hazard exists.

Respiration:

If vapors or mists are generated, wear a NIOSH/MSHA approved organic vapor/mist respirator or an air-supplied respirator as appropriate.

Ventilation:

Use local exhaust to control to recommended P.E.L.

Explosion Proofing:

None required.

SECTION 9 – PHYSICAL PROPERTIES

Color: Milky White

Form/Appearance: Aqueous Dispersion

Odor: Ester

Odor Intensity: Slight

	<u>Typical</u>	<u>Low/High</u>	<u>U.O.M.</u>
Specific Gravity:	~ 1.05		@ 68 DEG. F
Viscosity:	400		CENIPOISE @ 73 DEG. F
pH:		4 – 5	SU

	<u>Typical</u>	<u>Low/High</u>	<u>Deg.</u>	<u>@</u>	<u>Pressure</u>
Boiling Point:	~212		F		760 MM HG
Freezing Point:	~ 32		F		760 MM HG
Decomposition Temperature:	NOT AVAILABLE				
Solubility in Water Description:	Miscible				
Vapor Pressure:	17	MM HG	@		68 DEG. F

SECTION 10 – STABILITY AND REACTIVITY

Stability Data:

Stable

Incompatibility:

Metal salts will coagulate product.

Conditions/Hazards to Avoid:

Excessive heat.

Hazardous Decomposition/Polymerization:

Hazardous polymerization will not occur.

Hazardous Decomposition Products: CO, CO₂, Nox, hydrocarbons.

Corrosive Properties:

Not corrosive.

Oxidizer Properties:

Not an oxidizer.

SECTION 11 – TOXICOLOGICAL INFORMATION

No applicable data for this section.

SECTION 12 – ECOLOGICAL INFORMATION

No applicable data for this section.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal:

Incinerate in a licensed facility. Do not discharge into waterways or sewer systems.

Container Disposal:

Dispose of in a licensed facility. Recommend crushing or other means to prevent unauthorized reuse.

SECTION 14 – TRANSPORTATION INFORMATION

DOT Proper Shipping Name:

N/A

DOT Technical Name:

N/A

DOT Primary Hazard Class:

N/A

DOT Secondary Hazard Class:

N/A

DOT Label Required:

N/A

DOT Placard Required:

N/A

DOT Poison Constituent:

N/A

Bill of Lading Description:

NOT REGULATED BY THE DEPARTMENT OF TRANSPORTATION

SECTION 15 – REGULATORY INFORMATION

TSCA Inventory Status

Listed on Inventory: YES

SARA – 313 Listed Chemicals:

CAS: 108-05-4 AMOUNT: 0.4 %

NAME: VINYL ACETATE

RCRA Haz. Waste No.: N/A

CERCLA: REPORTABLE QUANTITY: VINYL ACETATE* - 5000 LBS

*RESIDUAL MONOMER IN PRODUCT

State Regulatory Information: (By Component)

NJ/PA/MA RTK

CAS: 108-05-4 YES

NAME: VINYL ACETATE

CAS: 7732-18-5 YES

NAME: WATER

CAS: 28063-87-8 YES

NAME: POLYMER

This product contains one or more chemicals known to the State of California to cause cancer.

SECTION 16 – OTHER INFORMATION

Hazard Ratings:

UCSC currently uses the National Paint & Coating Association (NPCA) rating system. The use of an asterisk (*) in the HMIS rating indicates the potential for chronic health effects.

	Health:	Fire:	Reactivity:	Special:
HMIS	2*	1	0	N/A

This product is hazardous or contains components which are hazardous according to the OSHA Hazard Communication Standard.

“IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART

OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY UCSC HEREUNDER ARE GIVEN GRATIS AND UCSC ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.”